FSPRIT

Grade A





ESPRIT



GENERAL SPECIFICATIONS

CONTENT

Surface: 100% PVC (7P Phthalate Free)

Backing: 100% Brushed Polyester Knit

WIDTH

54"

WEIGHT **ROLL SIZE** 30 oz. 30 yards

STAIN RESISTANCE

Resilience™











PERFORMANCE SPECIFICATIONS

Abrasion Resistance 250,000+ Double Rubs ASTM D4157-13 Wyzenbeek **UV** Resistance

500 Hours

ASTM G154-16

Colorfastness to Crocking

5.0 Wet 5.0 Dry

AATCC 8-2016

Anti-Microbial

Anti-Bacterial

Pass

ASTM G21-13

Pass

AATCC 147-2011

Mildew Resistance

Pass

ASTM G21-13

Cold Crack

-20° F

CFFA 6a-2010

Bleach Resistance

10% Dilution

AATCC 107-2013

Sulfide Stain Resistance

Yes

FLAMMABILITY REQUIREMENTS**

California Fire Code Technical Bulletin No. 117-2013

NFPA 260

UFAC Class I

IMO 2010 FTP Code, Part 8

FMVSS 302

Suitable For:

Hospitality, Healthcare, Contract, Education, Marine, Automotive, RV, Residential

Reduced Environmental Impact

Phthalate Free

Lead Free

BPA Free/TRIS Free/Formaldehyde Free Does not contain Conflict Minerals

CARE AND CLEANING

Prompt cleaning is always recommended. Cleaning steps are listed by type of stain.

Regular Cleaning and Maintenance

Clean the soiled area with mild soap and water, then rinse with fresh Grime water and wipe dry with a clean cloth.

Food Stains / Oils

Wipe affected area with a soft cloth or soft bristle brush using a non-abrasive cleaner, for example Formula 409 or Fantastik. Rinse with fresh water and wipe dry.

Mustard Ketchup Chocolate Coffee/Tea Salad Dressing

Healthcare

Clean the soiled area with a 10% solution of Household Bleach and water. It is important to rinse the cleaned area with fresh water after applying the bleach solution.

Blood Urine lodine

Betadine

Difficult Stains

Clean the soiled area with a 50% solution of Isopropyl Alcohol (Rubbing Alcohol) and water. It is important to rinse the cleaned area with fresh water after applying the alcohol solution.

Mascara Lipstick Hairspray Grease Motor Oil Soy Sauce Coffee

The use of commercial vinyl conditioners and protectants is not recommended.

Note: The information in this cleaning guide refers to performance in specific tests conducted under laboratory conditions. This information is not a guarantee that every stain will be removed completely. Some residual ghosting may be present after all cleaning steps are followed.

Resilience™ is a trademark of Nassimi LLC

△WARNING: This product can expose you to chemicals, including Antimony Trioxide, which is known to the State of California to cause cancer. For more information, go to https://www.p65warnings.ca.gov

^{**}This term and any corresponding data refer to typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions

SEDUCTION

SSE-019



Grade B







SEDUCTION

APPLICATIONS

Hospitality, Healthcare, Contract, Education, Marine, Automotive, RV and Residential

GENERAL SPECIFICATIONS

Width

54"

Roll Size

30 Yards

Weight

32 Ounces per Linear Yard

Backing

100% Brushed Polyester Knit

PERFORMANCE SPECIFICATIONS

Abrasion Resistance

500,000+ Double Rubs Per ASTM D4157-10 Wyzenbeek

Mildew Resistance

Pass per ASTM G21-96(2002)

Anti-Bacterial

Pass per AATCC 147-2004

Anti-Microbial

Pass per ASTM G21-96(2002)

Ultra Violet Resistance

650 Hours per AATCC Test Method 16-2004, Option 3

Cold Crack

-20°F per FTMS 191A TM587

Stain Resistant

with Resilience^{SR} Protection

Sulfide Stain Resistant

FLAMMABILITY REQUIREMENTS *

California Fire Code Technical Bulletin No. 117, Section E

UFAC Class 1

BIFMA

NFPA 260

MVSS 302

IMO A.652(16)8.2 and 8.3

ASTM E84 (Adhered & Un-Adhered): Class 1 or A Rating

May Comply with California 133 when Tested with Suitable Components

CLEANING INSTRUCTIONS

Prompt cleaning is always recommended. Ordinary dirt and stains can be removed with mild soap and water. Rinse the cleaned area with clean water and dry with a lint-free cloth. Seduction will resist, without serious discoloration, the repeated actions of normal dilutions of non-abrasive chlorine or ammonia-based cleaners.

ENVIRONMENTAL COMPLIANCE

Seduction is formulated to comply with California Proposition 65 as well as the European Standard EN-71.

Resilience^{sr}

Resilience^{SR} represents the latest technology in Faux Leather and Vinyl Protection, enhancing performance where it is needed the most:

STAIN RESISTANCE: With proper care, materials treated with **Resilience^{SR}** can be easily cleaned and will guard against stains maintaining the desired surface appearance for years to come.

ANTI-MICROBIAL & ANTI-BACTERIAL PROTECTION: Products treated with Resilience^{SR} are engineered to inhibit bacterial growth, as well as fungus, mold and spores, resulting in a more hygienic environment.

ABRASION RESISTANCE: Resilience^{SR} provides additional wear properties and surface durability to any Vinyl or Faux Leather, thereby increasing the life of the material.

Resilience^{SR} is not visible, and does not affect the hand of the material. Resilience^{SR} is engineered to last, even after repeated cleaning and wear. Specify Resilience^{SR} for the most demanding healthcare and hospitality applications.

PROP 65 WARNING: This product may contain a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

^{*} This term and any corresponding data refer to typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions. 6.13

Nauga Soft

Genuine NAUGAHYDE® ERANDABERC












Grade C



PR 49 Deep Sea

PR 55 Deep Sapphire

PR 40 Black Satin





PR 49 Deep Sea



PR 48 Doeskin



PR 43 Velvet Brown



PR 36 Cabernet



PR 41 Mulberry



PR 54 Mallard Blue



PR 39 Laurel



PR 44 Cream



PR 51 Cocoa



PR 38 Harness



PR 47 Tapestry Red



PR 46 Blue Fog



PR 53 Ivy



PR 34 Soft White

PR 35 Fawn



PR 52 Saddle



PR 42 Rose Blush



PR 37 Feather



PR 45 Mint Leaf







Physical Properties

- Roll Width: 54"
- Roll Length: 35 yards

- Weight per Lin. Yard: 28.2 oz.
- Pattern Repeat: N/A

Performance Properties

- Sulfide Stain Resisant
- ASTME 1428-Pink Stain Test
- Oil Resistant
- Cold Crack: -20°

- Mildew Resistant
- Ultraviolet Stable Pigment
- Static Dissapative
- Abrasion #8 Cotton Duck 1,000,000 dbl rubs

Flammability Performance

- Cal. Fire Code 117
- MVSS-302

• BIFMA Class I

Disinfectability

Naugahyde with Advanced BeautyGard® has been formulated to achieve a superior level of disinfectability with disinfectant products containing sodium hypochlorite (common household bleach) diluted 1:10.

Serviceability

Advanced BeautyGard® protective top coat finish is produced from environmentally friendly materials and processes and is technically formulated to achieve the highest performance standards.







ARCONAS

Destiny fabric by Majilite

Grade G



RCONAS

Grade J 1-800-387-9496



c c c d d l c l

I FATHER - EVOLVED

Upholstery

Comfort Range

MATERIAL SWATCHES

Leather fibre. Evolved for upholstery




COMFORT RANGE

The Upholstery Collection is the ideal solution to create stylish yet practical interior spaces for airport terminals, leisure and hospitality venues. The high-performance material offers a luxury and quality finish with a durability that outlasts alternative interior textiles.

The range of colours displayed on this card are available as Stock colours (2 working days lead time) or Additional colours (up to 5 weeks lead time), however custom colours and grains can be specified on request.

Stock colours





How it's made

Taking our most precious commodity – water – ELeather developed and patented a manufacturing process that uses hydroentanglement technology to lock traditional leather fibres within a high-performance core. The end result – a stronger, lighter high-performance material.









becomes



Trimmings

Leather fibre

Leather fibre web Hydroentanglement process

ELeather fibre composite

We have evolved our leather fibre for

Greater responsibility

Taking more care of the world's most precious resources builds better reputations.

Superior performance

Unrivalled material performance increases margins and competitive advantage:

Exceptional experiences

Memorable brand experiences create happy customers and more growth potential.

eleathergroup.com

ELeather, Kingsbridge Centre, Sturrock Way, Peterborough, PE3 8TZ, UK Tel: +44 (0) 1733 843939 Fax: +44 (0) 1733 843940 Email: info@eleathergroup.com

